
MIETHKE GRAVITATIONAL VALVES -DESIGNED TO GIVE YOU CONFIDENCE



The critical issue in shunt technology is the posture-dependent hydrostatic pressure change. Hydrocephalus shunts with gravitational units can overcome the posture-dependent effects of gravity, reduce complications of overdrainage and have shown positive results with good clinical outcomes and significant reductions of overdrainage events (1).

With gravitational valves the optimal pressure for both supine and upright position can be set.

Supine position: Gravitational valve does not add to valve opening pressure





Upright position: Gravitational valve increases valve opening pressure


Gravitational valves (GV) improve patient outcomes compared to differential pressure valves (DP) (1).

Symptom improvement >2 points on Kiefer-Scale.



Daily improvement rated good/very good on Black-Scale.





BENEFIT FROM PRIMARY IMPLANTATION (3)


22%

higher survival of gravitational valves after primary vs secondary implantation




Patients with hydrocephalus benefit from early treatment with gravitational valves.

AVOID COMPLICATIONS (4)



Overdrainage rate with conventional valves



Overdrainage rate with gravitational valves

Implanting a gravitational valve avoids one additional overdrainage complication in about every third patient.

MIETHKE GRAVITATIONAL VALVES



Made from Titanium for high MRI- and biocompatibility



Protected against reprogramming up to 3 Tesla



Extremely small valve



Rigid housing unsusceptible to subcutaneous pressure

⁽¹⁾ Tschan CA, Antes S, Huthmann A, Vulcu S, Oertel J, Wagner W, Overcoming CSF overdrainage with the adjustable gravitational valve proSA. Acta Neurochir (Wien) 2014 156:767-776; discussion 776

(2) Sprung C, Schlosser HG, Lemcke J et al. The adjustable proGAV shunt: a prospective

safety and reliability multicenter study. Neurosurgery 2010 66:465-474

⁽³⁾ Gebert AF, Schulz M, Schwarz K, Thomale UW. Long-term survival rates of gravity-assisted, adjustable differential pressure valves in infants with hydrocephalus. J Neurosurg Pediatr 2016 17:544-551

⁽⁴⁾ Lemcke J. Meier U. Müller C. Fritsch M. Kehler U. Langer N et al. Safety and efficacy of gravitational shunt valves in patients with idiopathic no hydrocephalus: a pragmatic, randomised, open label, multicentre tr J Neurol Neurosurg Psychiatry 2013 84(8):850-857